

# TOLEDO

## FURNITURE

### Product Specification

**Brand:** Toledo Furniture, Inc.  
**Product Series:** Grafco Series Furniture

#### Table Assembly

- Shall ship from the Factory fully assembled.
- Uses only UL listed electrical, data and communications components.
- The work surface is assembled using mechanical fasteners through the frame assembly embedded in the work surface..
- The table is designed for repeated and frequent rearrangement, moving, lifting, rolling and relocating.
- The table is suitable for use in a variety of connection and configuration methods including fixed or mobile, freestanding or modular group of tables.
- The table consists of a fully electric arc welded steel frame to provide lateral table support and stabilize the work surface to within 1/8”.
- Includes a Lifetime warranty on all table frames, legs, raceways, and fabricated metal components and a 3-year warranty on work surface tops and laminates.
- Is available in 15 standard colors with customer custom color selection available.
- Is configurable to enable the customer to design, configure and obtain a product exclusive to the customer’s requirements, needs, desires, budget and application.

#### Work Surface

- Standard is .75” thick high quality, 45 lb institutional grade thermofused board.
- Alternate is 1-1/8” thick high quality 45 lb institutional grade thermofused board.
- The top shall be HPL High Pressure Laminate and the bottom shall be a phenolic backer sheet to balance the work surface both of which are bonded to the core board material.
- All tops are CNC routed for precision placement (within 1/32”) of electrical, data and mounting devices.
- May be configured with 1 or more grommet openings in the work surface as specified by the customer.
- All tops may be configured with the following materials and edges:
  - Post formed high-pressure laminate (HPL) on Top, Front, and/or Back edges.
  - Color coordinating PVC edge banding in .5mm or 3 mm thick as specified by the customer.
  - Radius corners in lieu of Square corners.
- Available with any standard price group HPL high-pressure laminate from Wilsonart®, Formica®.
- Available in Chemical resistant Epoxy or Phenolic Resin, ESD (Electro Static Dissipative), Rubberized, or Solid Wood.
- Available in Round, Oval, Elliptical, Racetrack, Boat, Square, Rectangular, Hexagonal, Trapezoidal, Kidney, Flower, “C”, Clover, Peninsula, Tombstone, Semicircle and custom shapes.

#### Leg and Frame Assembly

- All frames are constructed using 16 ga. steel tubing 1” x 1.50” rectangular and 1.25” Square.
- All frames are fully electric arc welded into a unitized table frame.
- All frames include a perimeter apron to support and mount the work surface.
- All frames include 4 nylon non-staining leg levelers with heavy duty 5/16-18 screw-in stems standard.
- All frames shall be powder painted in a color as specified by the customer.

# TOLEDO

## FURNITURE

### **Leg and Frame Assembly Con't.**

- Frames are designed and available in size increments of 1/2" in depth, length and height.
- Fixed height tables are available 25", 27", 29", 32", 36" or 39" high as specified.
- Height Adjustable tables are available 22", 24", 26-1/2", 29", and 32", 36" or 39" with leveling glides or casters.
- "C" Leg Trestle stiles shall be capable of joining an optional End Closure Panel.
- All joints shall be square cut, butt-jointed and electric arc welded.
- Leg openings shall be fitted with polymer end caps.
- Legs at table ends shall have no cutouts or holes to provide a smooth clean finished appearance.

### **Troughs and Channels**

- Shall be full table length and have interior dimensions of 6.25"H x 5.5"D.
- Shall be capable of routing all electrical, data and communications lines in an enclosed assembly.
- Utilizes a locking hinged access door with "SoftEdge" cable holder to secure but not damage electric, data and communications cabling.
- Available with an optional open-style trough for secure placement and access to cabling.

### **Modesty Panel**

- Designed for use with or in lieu of a Trough or Channel.
- Modesty Panels are available in the following materials: HPL panels to match the work surface, or 20 ga. steel x 2" x 10" x table length and assemble to the underside of the work surface with 1/4" threaded hardware.
- Available as a solid or perforated metal panel.

### **Casters**

- 4" diameter and rated to 100 lbs. each caster
- Supplied in pairs, 2 swivel and 2 swivel with brake.

### **End Closure Panel**

- The panels are a means to provide closure at the ends of tables and desks.
- Panels shall be made of HPL matching the work surface.
- Optional materials include steel or perforated steel panels.

### **Adjustable CPU Holder and CPU Rack**

- Adjustable CPU holder mounts underneath the work surface.
- Constructed of steel with adjustable width (5"-9 1/2") and height (15"-21").
- Finish is smooth black powder coat.
- Verify leg & knee space before ordering. Unit includes mounting hardware and foam pads.
- The rack CPU holder mounts underneath the work surface at either a right or left side position.
- Expandable 6 1/2" to 10" wide X 18" X 21".
- Shall be slotted on both sides for air ventilation.